

GLOBAL PRODUCT CATALOG 2010



SOLAR LED LIGHTING SOLUTIONS

SOL Inc Leadership in Solar Lighting for 20 Years

Lighting Powered by the Sun

Solar lighting systems from SOL Inc are the Reliable, Renewable, and Remarkable way to light an outdoor space. Whether to enhance security, improve safety or create visibility, solar powered lighting is an economic and green choice for your parking lot, roadway, path, bike trail, billboard, sign, pavilion, bus stop or fence line.

Solar lights are a visible statement of your commitment to the environment by your company, municipality, school, city, utility, or transit system.

Discover how **20 years** of experience allows SOL Inc to lead the industry in technology, support, and service

With advanced LED lighting, optics, and intelligent controls, solar lights have never been brighter or more versatile.

The time has come for solar lighting. Patented, technologically advanced and environmentally friendly, SOL Inc's lights shine brightly at over 40,000 locations worldwide.



Reliable, Renewable, Remarkable,

SOL Inc The Solar Light Partner

With an industry-leading **FivePlus™ Warranty**, innovative products and 24/7 technical support, you can rely on SOL Inc. Our success is our **40,000 installed solar light systems** and a high rate of repurchase from our customers. Customer loyalty is what motivates us.

Additionally, SOL Inc is always on the move. We are committed to continual product improvement through our **ISO 9001:2008** system and our in-house applications and innovation engineering teams. Our factory-employed field engineers are available for on-site installation and service assistance wherever needed.



SOL Inc headquarters and manufacturing facility in Palm City, Fl.

Outstanding Benefits of SOL Light Systems

- Easy to install since lights arrive as a complete system
- Fast start up: pre-programmed at the factory for desired operating mode and light fixture output
- Quality assured with lights 100% function tested and inspected
- Never change a light bulb with SOL's 70,000 hour life (L-70) LED light engine, over 15 years of illumination
- Minimal call backs since SOL Inc's lights are reliable with over 5 nights of reserve energy to provide light despite inclement weather
- Improved visual acuity with a 5,500K color temperature and minimum CRI of 70
- Efficiently delivers light for most applications via available Type I, II, III, and V beam patterns
- Safe and simple to work with because the lights are all low voltage and require minimal field wiring



Seven Things to Consider Before Specifying or Buying a Solar Light System

- 1. What is the warranty and what does it cover? SOL Inc is committed to providing an industry-leading warranty that covers critical system components including the PV panel, hardware, pole (if provided), light engine, fixture, wire harness, electronics, and battery well beyond the typical two-year warranty provided by most electrical system manufacturers. Beware of solar lights with two-year warranties and/or companies claiming 15-year warranties that only cover a portion of the solar light system, such as the PV array.
- 2. Is the manufacturer of the solar light really in the business of solar lighting?

Solar lighting is a rapidly growing business with several distributors or import/resellers entering the business masquerading as manufacturers. The issue? Companies focused on reselling are operating with a minimum investment, which leads to some fly-by-night operations not able to supply technical and warranty support, if at all. SOL Inc is a manufacturer committed to solar lighting with 20 years of experience in manufacturing reliable solar lights.

- 3. Has the manufacturer been in business at least as long as their warranty?
- Seems silly to ask, but can you really trust a company to support your warranty claim if their business is two years old? In fact, one big warranty expense could end the business. SOL Inc has been manufacturing reliable solar lights since 1990 and provides an industry-leading warranty.
- 4. Is the light system backed by 24/7 technical support?

Solar lighting is a very reliable technology. Sometimes, especially when batteries need replacing, solar lights require service. Will the

- company providing your solar lights be there to answer your call? Consider when you most need their help, usually at night when lights are not coming on. SOL Inc understands these challenges and for many years has offered free 24/7 technical support. Call any time: +1.772.286.9461 option 2.
- 5. Is the Light System configured for your location and your desired operation or is it one-size-fits-all? Solar lighting is geographically sensitive. How much sun do you get, how rainy is it, will it snow, how long is the longest night...? These are all questions SOL Inc asks and the answers help us configure a solar light that will work all year long for many years for you. The key though, is that these questions are asked and answered. An example is when customers in northern areas who buy the "standard", end up not having light all night long and experience premature battery failures as well.
- 6. Are complete technical specifications available? As a professional solar light manufacturer, SOL Inc has complete technical specifications. SOL Inc has CSI specifications, technical cut sheets, installation and service manuals, MSDS, and engineering approval for all of our systems.
- 7. Can the manufacturer provide an independent IESNA LM-79 photometric test report that validates the light's performance?

IESNA LM-79 test reports, performed by a third-party testing lab are the lighting industry norms for evaluating how well a light will illuminate a space. In the absence of an independent test report, one has to assume that claims of illumination and brightness are not correct. SOL Inc has photometric reports for all of its standard light systems and gladly provides additional copies or detailed photometric analyses using our light systems for your project.



Solar Lighting Systems

Quality and Service

Quality Policy

We at SOL Inc are committed to provide our customers with innovative solutions that exceed their expectation of quality and value. Through our stringent training, engineering, manufacturing, and quality procedures, we are able to deliver products ontime, that perform well and endure the test of time.

Products are assembled in our factory in Palm City, Florida. Quality control checks assure quality of the integrated system before the product is shipped. Our shipping department boxes the individual components to protect them for safe transport. All of our systems are shipped via freight companies on pallets to assure the safest transport possible.

SOL Inc insists that our solar lights perform like new for decades. We have instituted computerized life testing of our products to find any subtle but potentially crippling design flaws that do not show up in even the most thorough bench tests. SOL Inc products are the most trouble-free solar powered lights available.

Service

Our commitment is to provide outstanding service to our customers. From designing and specifying a solar lighting system to product delivery and start-up, SOL Inc is committed to enhancing your experience whether you are purchasing a system for yourself or if you are specifying a SOL Inc system.

With thousands of lights installed worldwide and in service for years, SOL Inc has a solid record of repeat orders from satisfied customers.

The primary focus of our ISO 9001:2008 Quality Management System is customer satisfaction. Our certification as ISO 9001:2008 compliant is testament to our commitment to product quality and customer service.

Table of Contents Application Photos...... 6-9 Area Lighting Systems 10 TSL Series 11 TPM Series 12 PM Series 13 GreenWay™14 Shelter Lighting Systems.15 OasysTM......16 TSAL 17 Security Lighting......18 Fence Lighting 19 Sign and Billboard 20 Billboard Lighting 21 SOL Inc Technology...... 22 Controls......23 Light Engines.....24 Powder Coating......25 Accessories......26 Fixtures......27 Poles28 Warranty......29 Contact SOL Inc.....30



Roadway Lighting



NAF El Centro PM Series see page 13



Lagos, Nigeria, Africa TSL Series see page 11



USMC Camp Pendleton PM Series see page 13



USMC Camp Pendleton PM Series see page 13



Yaounde, Cameroon, Africa TSL Series see page 11



Guinea-Conakry, Africa TSL Series see page 11



Litterol Province, Cameroon, Africa TSL Series see page 11



City of Granjeno, TX PM Series see page 13



City of Cagaus, Puerto Rico TSL Series see page 11



Parking Lot Lighting



Oro Valley Park and Ride TPM Series see page 12



Indiana Dunes State Park PM Series see page 13



NASA Employee Lot PM Series see page 13



Ski Run Marina in S. Lake Tahoe PM Series see page 13



VA Hospital in Brentwood, CA PM Series see page 13



National Institute of Standards & Technology
PM Series see page 13



U.S. Senate Washington, DC PM Series see page 13



Army - Fort Hood PM Series see page 13



NAS Oceana TPM Series see page 12



Jogging, Path and Trail Lighting



Travis Air Force Base Jog Track TPM Series see page 12



Chicago River Trail
PM Series see page 13



Whiskeytown National Recreation PM Series see page 13



Manatee City Fairground Trail GreenWay™ see page 14



City of Irving Campion Trail PM Series see page 13



Victorville, CA Exercise Trail GreenWay™ see page 14



MCAS Yuma Sidewalk PM Series see page 13



USMC Parris Island Running Track
PM Series see page 13



South Tower Park Texas GreenWay™ Series see page 14



Shelter and Other Lighting



Lynx Transit Shelter Lighting Oasys™ see page 16



LA Air Force Perimeter Security Security Series see page 19



Next Media Shelter Ad TSAL Series see page 17



Virginia DOT Billboard Billboard Series see page 21



Air Force Perimeter Security Security Series see page 19



LaMar Advertising, Palm Desert Billboard Series see page 21



Transit Shelter Lighting
Oasys™ see page 16



San Mateo County Transit Shelter TSAL Series see page 17



Gazebo Shelter Lighting
Oasys™ see page 16



Area Lighting Systems

Roadway, Parking Lots, Pathways, Trails and Recreation Areas

SOL Inc has a variety of solar powered area light systems. GreenWay™ is appropriate for paths and parks while TPM, PM and TSL series lights are commonly used for roadways, parking lots and security areas.



TSL Series page 11

- Roadways
- Parking Lots
- Driveways
- Recreation Areas



TPM Series page 12

- Parking Lots
- Driveways
- Roadways
- Recreation Areas

PM Series page 13

- Parking Lots
- Driveways
- Roadways
- Recreation Areas



GreenWay™ page 14

- Trails
- Parks
- Pathways
- Playgrounds






Tropical Street Light Series (TSL)

TSL series is designed for installations between 10° of the equator or in high wind zones. Ideal for solar powered parking lot, roadway, and area security lighting. TSL features a flat solar power array assembly for ideal solar harvesting in tropical areas or where high wind events occur.

Benefits

- Flexible and customizable for nearly any area and street lighting application
- Optimized for lowest Effective Projected Area (EPA) to withstand hurricane and typhoon winds
- Efficient and advanced LED lighting fixtures provide bright, even illumination with wide pole spacing
- Patented aiSUN™ control module for dimming and advanced energy management for reliable, bright light every night of the year
- Configured for tropical areas to optimally collect solar energy and tilted minimally to allow rain water runoff to self-clean solar panels
- Quick startup with all parts arriving together; plug-andplay wiring and minimal hardware assembly
- Mounting assembly bolts through most poles
- Mounts on nearly any pole type: Composite, Aluminum, Steel, Wood or Concrete









IDA approved dark sky friendly luminaires are available for this series.









Bronze

Black

Green

Color match is ensured when solar light system (fixture, arms, and energy storage enclosure) and pole are ordered together



Top of Pole Mount Series (TPM)

TPM series features a top of pole mounting system for the solar power array. Ideal for parking lot, roadway, jogging track, and area security lighting. TPM series have interchangeable fixtures and arms to provide lighting for many applications.

Benefits

- Optimized for nearly any area lighting application
- Efficient and advanced LED lighting fixtures provide bright, even illumination with wide pole spacing
- Adjustable energy storage array enclosure with locking door for lower mounting heights to increase serviceability
- Patented aiSUN™ control module for dimming and advanced energy management for reliable, bright light every night of the year
- Configurable for nearly every location with a scalable solar power and energy storage array assembly
- Quick startup with all parts arriving together; plug-andplay wiring and minimal hardware assembly
- Innovative PV bracket system for simplified and more reliable PV panel assembly and mounting
- Mounts on nearly any pole type: Composite, Aluminum, Steel, Wood or Concrete






IDA approved dark sky friendly luminaires are available for this series.

Light Patterns IES Type II Distribution Ideal for: Streets and Wide Paths IES Type III Distribution Ideal for: Roads, Parking Lots, Perimeter Fences





Pole Mount Series (PM)

PM series features a fixed angle bracket that mounts on the outside of the pole. Ideal for solar powered parking lot, roadway, jogging track, pathway and area security lighting. The PM series of solar lights have interchangeable fixtures and arms to provide lighting for many applications.

Benefits

- Optimized for nearly any area lighting application
- Efficient and advanced LED lighting fixtures provide bright, even illumination with wide pole spacing
- Adjustable energy storage array enclosure with locking door for lower mount heights to increase serviceability
- Patented aiSUN™ control module for dimming and advanced energy management for reliable, bright light every night of the year
- Configurable for nearly every location with a scalable solar power and energy storage array assembly
- Quick startup with all parts arriving together; plug-andplay wiring and minimal hardware assembly
- Side of pole mounting assembly bolts through most poles and works on many existing poles
- Mounts on nearly any pole type: Composite, Aluminum, Steel, Wood or Concrete







IDA approved dark sky friendly luminaires are available for this series.









Bronze

Green



White

Color match is ensured when solar light system (fixture, arms, and energy storage enclosure) and pole are ordered together



Light Patterns

Ideal for:

Ideal for:

IES Type II Distribution

Streets and Wide Paths

IES Type III Distribution

Roads, Parking Lots,

Perimeter Fences

GreenWay™


Ideal for solar powered pathway, trail, playground and recreational area lighting, GreenWay™ is an integrated system with flexible operating modes to light most applications and reduce carbon emissions.


Benefits


- Customized for any pathway and recreation application with adjustable lighting levels and operating modes
- Low profile, attractive system design with single panel and hidden energy storage enclosure
- Appealing color-matched pole, arm, fixture, and solar panel mounting structure
- Patented aiSUN™ control module for dimming and advanced energy management for reliable, bright light every night of the year
- Quick startup with all parts arriving together; quick connect wiring and minimal hardware assembly
- Easy to install and assemble with provided direct burial aluminum pole and slip-fit system assembly
- Clean lines and finish without visible pole fasteners and invisible mounting hardware













Shelter Lighting Systems

Shelters are designed as a safe haven, a place to rest, relax, gather, etc. Solar powered lighting systems enhance the appeal and utility of these spaces whether transit shelters, gazebos, pavilions, etc.



Oasys page 16

- Transit Shelters
- Gazebos
- Comfort Stations

TSAL page 17

- Transit Shelters
- Kiosks
- Ad Boxes
- Displays



OasysTM

Installed in existing or new gazebos, pavilions, transit shelters, or remote comfort stations, Oasys™ provides bright, reliable LED lighting.


Benefits

- Flexible and customizable for nearly any area lighting application
- Efficient and advanced LED lighting fixtures provide bright, even illumination for shelters up to 15' x 15'
- Hardened design with tamper-proof fasteners and impact-resistant LED cover
- Quick test switch with key access
- Patented aiSUN™ control module for dimming and advanced energy management for reliable, bright light every night of the year
- Configurable for nearly every location with a scalable solar power and energy storage array assembly
- Quick startup with all under-roof components pre-wired and connected, only PV mounting and plug-in required
- Mounts in nearly any shelter
- Remote LED light available if main unit is not centrally mounted



Rectangular Light Ideal for: Shelters, Covered Outdoor Facilities Integrated fixture Remote-mounted fixture





Transit Shelter Advertising Light (TSAL)

Installed in existing or new transit shelter advertising boxes, stand-alone advertising kiosks, or back-lit signs.

Benefits

- Flexible and customizable for most back lit four by six or larger advertising signs
- Significantly lower energy usage and maintenance cost of fluorescent light signs
- Efficient and advanced LED lighting fixtures provide even, bright, white illumination
- Eliminates the "tiger tail" striping often experienced in fluorescent back lit systems
- Configurable for nearly every location with a scalable solar power and energy storage array assembly
- Available in 120-240VAC versions for retrofit in existing advertising systems
- Quick startup with all under-roof components pre-wired and connected, only PV mounting and plug-in required




Light Patterns

Back-lit sign light

Ideal for:

Advertising kiosks, transit shelters



Available Fixtures

TSAL

Light Bar



Security Lighting Systems

Solar security lighting is distributed and reliable. Installing a solar powered security light avoids costly trenching to remote sites and is very quickly deployed. Solar lighting is reliable with over five nights of energy reserve available.



Aimable Security Light page 19

- Fences
- Walls
- Perimeter Fences


• Fences • Walls


Perimeter Security Fence Lighting


Ideal for providing highly reliable off-grid perimeter security lighting. Aimable for illuminating areas between all types of fence and wall posts, the perimeter security light system is distributed, and hardened against tampering.

Benefits

- Bright, aimable LED lighting fixtures to efficiently illuminate a fence or wall
- Centralized solar panel and energy storage array for simplified wiring and installation
- Configurable for nearly every location with a scalable solar power and energy storage array assembly
- · Quick startup with all parts arriving together
- Lighting fixture mounts directly to a standard electrical box









Sign and Billboard Lighting Systems

Solar lighting for signs and billboards is an intelligent and visible symbol of a "green" commitment. Remotely located or within a community, solar sign and billboard lights are economic and environmentally the correct choice.



Billboard Lighting Systems page 21

- Billboards
- DOT signs
- Large Welcome Signs

Billboard Lighting Systems

Solar powered LED Billboard lighting systems are a reliable and low-cost way to illuminate large advertising signs.

Benefits

- Fast installation with billboard mounted floodlights
- Programmed and configured prior to shipment to avoid on-site hassles and confusion
- PV and electronics enclosure mount on virtually any billboard pole and support system
- Bright even sign illumination with patented SOL Quad LED light engine
- Q3 LED flood light tilts to illuminate the board and mounts directly onto a fixture arm via a knuckle
- LED light output can be configured to provide a more cost-effective solution; turn lights off or dim them down when passing traffic is sparse



Light Patterns

Rectangular Light Distribution Ideal for:

Large Billboards



Available Fixtures

3Q Flood



Colors Available





Black



Solar Lighting Technology

Solar lighting is often the most reliable and economic way to provide light. SOL Inc provides lighting systems that feature design, technology, and factory support that is unrivaled.



aiSUN™ Controller page 23



Light Engines page 24



Powder Coating page 25




aiSUN™

SOL Inc's proprietary electronic control module for solar lights systems, the aiSUN's powerful microprocessor manages solar charging and driving the LED light engine.

Benefits

- Patent-pending operating modes help maximize solar powered light operation
- Configured and programmed to operate in one of five solar light control modes: (1) Dusk to Dawn, (2) Split Night with Dimming, (3) Split Night, (4) Programmed Run, (5) Motion Detector Driven
- Service free, long life designed for a minimum of 10 years of operation with no electrolytic capacitors and no heat sink due to leading efficiency
- Integration port for connection of Infrared Controllers, Motion Detectors, Seasonal Switches or Astronomical Time Clocks
- Patent-pending advanced energy management for reliable, bright light every night of the year
- Patent-pending man-made light detection to prevent solar lights from being spoofed by bright street lights, parking lot lights or building lighting





LED Light Engines

SOL Inc's proprietary LED light engines for solar light systems.

Benefits

- Delivers light efficiently to provide even illumination
- Efficient operation and configuration to maximize the light output capability of the solar energy array and storage system
- Excellent bright white color at 5,500K
- Wide even light distribution allows for wide pole spacing and lower mounting heights
- Appropriate for most outdoor lighting applications and available in shoebox, cobrahead, and decorative fixtures
- Long-life design through conservative operation (70,000 hours L-70): maintains low temperatures, dimming and high frequency operation, and low forward current drive
- Characterized by recognized testing labs with a full suite of .IES files and photometric reports



Light Patterns

IES Type I Distribution

Ideal for:

Sidewalk, Pathway, Trail, Bike Path



IES Type V Distribution

Ideal for:

Playgrounds, Picnic Areas



IES Type II Distribution

Ideal for:


Streets and Wide Paths



IES Type III Distribution

Ideal for:

Roads, Parking Lots, Perimeter Fences




Powder Coating Systems

Long-life solar power LED lighting systems are designed for a long useful life. The powder coat or painted finish is no different. Using a highly controlled, environmentally friendly, and proprietary process, SOL's systems feature an industry-leading 10-year powder coating warranty.

Benefits

- Environmentally friendly
- Customizable for nearly any color
- Standard colors include White, Black, Green, Blue in gloss finish and Bronze in a matte finish
- Highly scratch resistant
- Excellent weather, UV, and light resistant, superior gloss and color retention
- Meets A.A.M.A. 2604-98/05, GSB and Qualicoat 2 specifications for impact, bending, hardness, weathering, light fastness, cross hatch adhesion, color change, gloss retention, humidity resistance (3,000 hour), and salt spray resistance (3,000 hours)
- Applied to achieve a 4 to 7 mil thick coat and impact rating of 160 psf
- All material powder coated by hand with state-of-the-art paint guns
- Prevents tarnish, rust, patina or other non-desirable finishes for over a decade





Colors shown are for reference only. For color matching please refer to RAL color guide.

SOL Inc can provide powder coating for most common colors and many custom colors. SOL Inc uses the RAL color system to help eliminate confusion.



Sample color chips for RAL colors



Accessories

Solar lighting is very versatile and many fixture and pole options are available from SOL Inc to complete your system design.



Fixtures page 27



Poles page 28



Fixtures

SOL offers an array of LED lighting fixtures that work with many of the solar lighting families shown on pages 6 - 8. Fixtures can be configured and customized for nearly any pole and mounting arrangement. Contact SOL for questions about these or if desired, to build a solarized version of another fixture.

Area Lights









Cobrahead Ascot

Shoebox 48

Shoebox 24

Decorative



Metro

and styles that are not shown. Whether as a special request or as a completely new custom fixture, SOL works directly with customers to provide many additional fixtures. Contact us to learn more.

SOL Inc has other fixture types

Security Lights





OasysTM

Floods







3 Quad

IllumiSign®



Poles

SOL Inc provides solar light systems. In most cases our solar lights are mounted to poles. In an effort to provide seamless installation and delivery, SOL Inc offers a wide variety of poles. Although not the direct manufacturer of the pole, SOL Inc has partnerships with leading pole fabrication companies to provide a variety of reliable poles.

Engineered Composite

12 to 30 feet of overall length Direct burial

Bolt down

Standard SOL colors available

Available with 3.5" tenon

Why choose Composite: light weight, high strength composite poles are easy to ship and install. Due to their strength and fast construction method they are ideal for solar lighting. Composite poles are excellent for installations near coasts since they will not rust or corrode.



Aluminum

12 to 30 feet of overall length Direct burial Bolt down Standard SOL colors available including satin Available with 3.5" tenon

Why choose Aluminum: fairly light weight, high strength aluminum poles are fairly easy to ship and install. Aluminum poles are typically round and tapered and widely available.



Steel

12 to 30 feet of overall length Direct burial Bolt down Standard SOL colors available Available with 3.5" tenon

Why choose Steel: very strong pole available in round, square, straight or tapered and galvanized or painted to nearly any color. Typically bolted down and mounted on a pedestal, steel is reliable, widely-used pole type.



Concrete

12 to 30 feet of overall length Direct burial Color Gray Concrete Only Available with 3.5" tenon

Why choose Concrete: designed for extremely high weight and EPA loading, Concrete poles are preferred in high-wind loading areas that are especially prone to cyclonic storms.



SOL Inc Limited "Five Plus" Warranty Rev 8/09

SOL Inc is an ISO 9001:2008 certified worldwide manufacturer that designs and manufactures our own products (vs. simply reselling or distributing other manufacturer's products). Even though the best scenario involves never having to actually use a company's warranty, we are proud to offer what we believe is in fact the BEST WARRANTY available in the industry, from a company that has been in business since 1990.

SOL Inc warrants the Owner (defined as the entity that has final title to the goods) of each new SOL lighting system to be free from defects in materials and workmanship and to perform under normal use and service. SOL Inc will, at its option, repair or replace any system or system component that is defective in materials or manufacture within a minimum of five (5) years after purchase. Additionally, specific items within SOL's system have extended warranty protection against failure as defined below:

<u>ltem</u>	Period
Solar PV Panel	20 Years
Mounting Hardware	20 Years
Pole (if provided)	20 Years
LED Light Engine (Lamp)	10 Years
LED Luminaire (Fixture)	10 Years
Wire Harnessing	10 Years
Electronics (Charge controller, LED driver)	10 Years
Energy Storage Array (Battery)	5 Years*

*Batteries provided by SOL Inc have a limited warranty providing for battery replacement (batteries must be provided by SOL Inc), from the date of shipment, with the following pro-rated coverage:

- 0 to 2 years: 100% credit (user pays 0% of the replacement battery price)
- 2 to 3 years: 60% credit (user pays 40% of the replacement battery price)
- 3 to 4 years: 40% credit (user pays 60% of the replacement battery price)
- 4 to 5 years: 20% credit (user pays 80% of the replacement battery price)

SOL Inc's liability on any claim for damages arising out of or in connection with the manufacture, sale, installation, delivery or use of the unit shall not exceed the purchase price of the system. The purchaser assumes and will hold harmless SOL Inc in respect of all such loss. For warranty service on SOL products please contact SOL Inc for a Return Material Authorization (RMA) number by calling +1 (772) 286-9461. Any products or components that are returned to SOL Inc without first obtaining a RMA may not be issued any credit, and SOL Inc shall not be responsible for said items.

This warranty does not cover damage or malfunction, as determined by SOL Inc's service technicians or engineers, due to abuse, misuse, incorrect installation, or accident such as, but not limited to:

- Use of incorrect mounting hardware
- Failure to follow operating and installation instructions provided by SOL Inc
- Failure to maintain & operate the equipment in accordance within all applicable standards & codes
- Failure to maintain & operate the system under SOL's specified operating conditions
- Vandalism or theft
- Fire, flood, "Acts of God", and other problems beyond the control of SOL Inc
- Unauthorized or improper repairs or adjustments
- Labor costs to remove, service, troubleshoot, and install all or part of SOL Inc systems, unless previously agreed to and authorized IN WRITING by SOL Inc by either the Customer Care Manager, Quality Manager, or CEO
- Equipment service, rental, and or tools required to remove, service, troubleshoot, and reinstall
 all or part of SOL Inc systems, unless previously agreed to and authorized IN WRITING
 by SOL Inc by either the Customer Care Manager, Quality Manager, or CEO
- Components and equipment external to the SOL Inc system
- The cost of repairing or replacing property other than the SOL Inc system
- Equipment not provided by SOL Inc

The use of any replacement parts (for any reason) including but not limited to electrical components, luminaires, or batteries NOT provided by SOL Inc voids this warranty. This warranty is in lieu of all other expressed warranties and the implied warranty of merchantability is limited to terms of this written warranty. This warranty grants you specific legal rights, and you may have other rights which vary based on your location.



Contact SOL Inc

Global Headquarters

3210 SW 42nd Avenue Palm City, FL 34990 USA

Phone Numbers

Worldwide: 1.772.286.9461 Fax: 1.772.286.9616



Our Web Sites:

www.solarlighting.com
www.solarlightingusa.com
www.solinternational.com

Follow us on Twitter™ www.twitter.com/sol_inc

Make Money With Solar Lighting

Solar lighting is reliable, renewable and remarkable. SOL Inc has developed a training and business development program for those who wish to build an enterprise around selling our solar powered lighting systems. Our pioneering Solar Lighting Solutions Professional (SLSP) programs are helping many savvy entrepreneurs grow a green business. To learn more, please contact our Customer Service team at +1.772.286.0663.



Plant Tours

SOL Inc is glad to host visitors, tours and other events at our facilities to help increase the awareness of the benefits of Solar Lighting. To schedule a visit or to learn more about SOL Inc please contact our Customer Service team at +1.772.286.9461.

Specifications may be subject to change.

SOL Inc assumes no liability for third-party products and services used in the installation of this product and work performed by third-party service providers. Purchasers are advised that the security and strength of any product installation will be dependent upon the type of pole on which the product is mounted, the footing, the fasteners and materials in fixing the product to the pole and site conditions.





SOL Inc 3210 SW 42nd Avenue Palm City, FL 34990

USA

Tel: 1.772.286.9461 Fax: 1.772.286.9616

info@solarlighting.com www.solarlighting.com

